

DONG YOUNG DIAMOND INDUSTRIAL CO., LTD. SINCE 1993



WE ALWAYS PURSUE
REAL HIGH PERFORMANCE
PROFESSIONAL TOOLS!!

FACTORY & HEAD OFFICE

761-4 Dohwa-Dong, Nam-Gu, Incheon. KOREA 402-060

TEL : 82-32-864-4578 (REP.)

FAX : 82-32-864-4579

E-mail : dongyoungdia@hanmail.net

dongyoungdia@yahoo.com

admin@dongyoungdiamond.com

www.dongyoungdiamond.com

INDEX

1. STONE PRODUCTS

- 1-1 Silent Core Blades
- 1-2 Semi Silent Core Blades
- 1-3 FALCON Series Blades
- 1-4 Caterpillar Silent Blades
- 1-5 D-Arrayed Silent Blades
- 1-6 Grooving Blades
- 1-7 Dry Turbo Blades
- 1-8 Super Dry Blades
- 1-9 Contour Blades
- 1-10 Offset Blades
- 1-11 Tuck Point – Rodding Blades
- 1-12 Crack Chaser Blades
- 1-13 Turbo Type Cup Wheel
- 1-14 Segmented Cup Wheels / Resin
- 1-15 Segmented Cup Wheels
- 1-16 Continuous Rim Cup Wheel
- 1-17 Zero Tolerance Wheels
- 1-18 Stock Removal Drum Wheels
- 1-19 Portable Double Edge Router Bits
- 1-20 Portable Edge Profile Router Bits
- 1-21 Finger Bits
- 1-22 T-108 Finger Bits
- 1-23 Radial Arm Finger Bits
- 1-24 CNC Drain Board Router Bits
- 1-25 CNC Snail Lock Edge Grinding Wheels (4",5Step)
- 1-26 Polishing Discs
- 1-27 Polishing Disc with Resin
- 1-28 CNC Edge Profile Wheels

1. STONE PRODUCTS


- 1-29 CNC Type A-R8 3Cm Full Line-up
- 1-30 CNC Type FZ 5Cm Full Line-up
- 1-31 Planning Milling Wheels
- 1-32 Special Shape Profile Wheels
- 1-33 Core Drill Bits for Granite & Marble
- 1-34 T-type Small Core Bits
- 1-35 T-type Core Drills
- 1-36 Sculptor Tools
- 1-37 Adapters
- 1-38 Backer Pads

2. CONSTRUCTION PRODUCTS

- 2-1 Arrow type Blades
- 2-2 T-type Blades
- 2-3 Highway Grooving Blades
- 2-4 Dry Turbo Blades
- 2-5 Super Dry Blades
- 2-6 Tuck Point – Rodding Blades
- 2-7 Crack Chaser Blades
- 2-8 Turbo type Cup Wheels
- 2-9 Segmented Cup Wheels / Resin
- 2-10 Segmented Cup Wheels
- 2-11 T-shape Swirly Cup Wheels
- 2-12 Cup Scraper (PCD Diamond)
- 2-13 Metal Polishing Discs
- 2-14 T-type Core Drills

1. STONE PRODUCTS

1-1. Silent Core Blades



Item No.	Description	Remark
SCB12	12" x 21N	Segment Height : 10mm 13mm 15mm 18mm 20mm
SCB14	14" x 25N	
SCB16	16" x 28N	
SCB18	18" x 32N	
SCB20	20" x 36N	
SCB24	24" x 42N	

1-2. Semi Silent Core Blades



Item No.	Description	Remark
SSCB5	5"	Segment Height : 10mm 13mm 15mm 18mm 20mm
SSCB7	7"	
SSCB9	9"	
SSCB12	12"	
SSCB14	14"	
SSCB16	16"	

1-3. FALCON Series Blades

- Smooth & Fastest cutting
- FALCON U-type
- FALCON N-type
- FALCON NN-type

PATENT




Dia.	Segment Size	Remark
12"	40x3.0x20	D60/50
14"	40x3.0x20	
16"	40x3.3x20	
18"	40x3.5x20	
20"	40x3.5x20	
24"	40x4.0x20	

1-4. Caterpillar Silent Saw Blades

PATENT PENDING

- Fastest Cut
- Long Life



Item No.	Segment Size
CSCB 14	40 x 3.0 x 15
CSCB 16	40 x 3.3 x 15
CSCB 18	40 x 3.5 x 15

1-5. D-Arrayed Silent Saw Blades



Item No.	Segment Size
DSCB 14	40 x 3.0 x 15
DSCB 16	40 x 3.3 x 15
DSCB 18	40 x 3.5 x 15


1. STONE PRODUCTS

1-6. Grooving Blades



Item No.	Description	Remark
GVB12	12"	Thickness 3/16"W 1/4"W 3/8"W 1/2"W
GVB14	14"	
GVB16	16"	Inner Hole D60/50

1-7. Dry Turbo Blades



Item No.	Description	Remark
TC5	5" x 2.6T	DRY, WET
TC6	6" x 2.4T	

1-8. Super Dry Blades


- Super safe : Segments never came off.
- Water free
- Long life & fast cutting



Super Cooling

Item No.	Dia.	Thickness		Arbor
		Turbo	Non-Turbo	
SDB 4	4"	2.6T	2.4T	7/8" - 5/8" bushing
SDB 45	4.5"	2.6T	2.4T	
SDB 5	5"	2.6T	2.4T	
SDB 55	5.5"	2.6T	2.4T	
SDB 6	6"	2.6T	2.4T	
SDB 7	7"	2.6T	2.4T	

1-9. Contour Blades




Item No.	Description	Remark
CCB4	100mm	Inner Hole: 22.23mm 200mm Segment Thickness: 3.0mm 4.0mm
CCB4.5	110mm	
CCB5	125mm	

1-10. Offset Blades



Item No.	Description	Remark
OSB5	125mm	Inner Hole: 22.23mm 200mm

1-11. Tuck Point - Rodding Blades



Item No.	Description	Remark
TPB4-316	4" x 3/16"W	7/8"-5/8" Bushing
TPB4-14	4" x 1/4"W	
TPB4-38	4" x 3/8"W	
TPB4-12	4" x 1/2"W	
TPB45-14	4.5" x 1/4"W	
TPB5-14	5" x 1/4"W	DM-7/8"-5/8" Bushing
TP7-14	7" x 1/4"W	

1-12. Crack Chaser Blades



Item No.	Description	Remark
CCB4	4" x 3/8"W	7/8"-5/8" Bushing
CCB5	5" x 3/8"W	
CCB7	7" x 3/8"W	

1. STONE PRODUCTS

1-13. Turbo type Cup Wheels



Item No.	Description	Remark
TGW4	100mmx5.0T	Thread 5/8"-11unc M14
TGW45	110mmx5.0T	22.23mm
TGW5	125mmx5.0T	Type Round/Straight
TGW6	150mmx5.0T	Grit Coarse/Medium/Fine
TGW7	180mmx5.0T	Shank Steel / Aluminum

1-14. Segmented Cup Wheels / Resin



Item No.	Description	Remark
RGW 4	100mmx5.0T	Thread M10 / M14 5/8"-11unc 22.23mm
RGW45	110mmx5.0T	Type With Resin / Without Resin
RGW5	125mmx5.0T	Grit Coarse/Medium/Fine

1-15. Segmented Cup Wheels



Item No.		Description	Remark
Single	Double		
SGW4S	SGW4D	100mmx5.0T	Thread 5/8"-11unc M14
SGW45S	SGW45D	110mmx5.0T	
SGW5S	SGW5D	125mmx5.0T	
SGW6S	SGW6D	150mmx5.0T	
SGW7S	SGW7D	180mmx5.0T	Inner Hole 22.23mm

1-16. Continuous Rim Cup Wheels



Item No.	Description	Remark
CGW 4	100mmx5.0T	Thread 5/8"-11unc M14
CGW45	110mmx5.0T	
CGW5	125mmx5.0T	Inner Hole 22.23mm

1-17. Zero Tolerance Wheels



Item No.	Description	Remark
ZTW1138	1"x1 3/8"L	Thread M14
ZTW2138	2"x1 3/8"L	5/8"-11
ZTW3138	3"x1 3/8"L	
ZTW4138	4"x1 3/8"L	Grit Coarse/Medium/Fine
ZTW1158	1"x1 5/8"L	
ZTW2158	2"x1 5/8"L	Available
ZTW3158	3"x1 5/8"L	Bottom Closed/Open With Resin / Without Resin
ZTW4158	4"x1 5/8"L	

1-18. Stock Removal Drum Wheels



Item No.	Description	Remark
CSRW1142	1 1/4"x2"L	Grit #36/#60/#120
CSRW2138	2"x1 3/8"L	
CSRW3138	3"x1 3/8"L	
CSRW2158	2"x1 5/8"L	5/8"-11 M14
CSRW3158	3"x1 5/8"L	
CSRW2200	2"x 2"L	
CSRW3200	3"x2"L	
CSRW2158B	2"x1 5/8"L	
CSRW2200B	2"x2"L	M8,M10 Bolt Bearing
CSRW3158B	3"x1 5/8"L	

1. STONE PRODUCTS

1-19. Portable Double Edge Breaker Wheels



Item No.	Description	Remark
DEB4	3" x 4cm	M8, M10 Bolt
DEB5	3" x 5cm	

1-20 Portable Edge Profile Router Bits



Type V



Type B



Type F



Type E

Item No.	Description	Remark
Continuous Rim Type & Segment Type (M8, M10 Bolt)		
Grit Size : Coarse/Medium/Fine		
PPV20	20mm (3/4")	Full Bull-nose
PPV30	30mm (1 1/4")	
PPV40	40mm (1 1/2")	
PPB20	20mm (3/4")	Half Bull-nose
PPB30	30mm (1 1/4")	
PPB40	40mm (1 1/2")	
PPF20	20mm (3/4")	Ogee
PPF25	25mm (1")	
PPF30	30mm (1 1/4")	
PPF40	40mm (1 1/2")	
PPE30	30mm (1 1/4")	Edge Breaker

1-21. Finger Bits



Item No.	Description	Remark
FRB 3/4 158	20mm x 1 5/8"L	Thread 1/2 Gas
FRB 3/4 200	20mm x 2"L	
FRB 1 158	25mm x 1 5/8"L	Bond Soft/Medium/Hard
FRB 1 200	25mm x 2"L	
FRB 1 238	25mm x 2 3/8"L	

1-22. T-108 Finger Bits



Item No.	Description	Remark
ARB 7/8	20mm x 15T	Bond Soft/Medium/Hard

1-23. Radial Arm Finger Bits



Item No.	Description	Remark
RRB2010-15	20/10 x 15mmT	M8, M10 male
RRB2014-15	20x14 x 15mmT	
RRB2014-20	20/14 x 20mmT	
RRB Holder	Router Bit Holder	1/2 Gas

1. STONE PRODUCTS

1-24. CNC Drain Board Router Bits



Item No.	Description	Remark
DBMW50-20	2" x 20mmW	Slanted
DBMW70-20	3" x 20mmW	
DBMW100-20	4" x 20mmW	
DBMW100-30	4" x 30mmW	
DBMW150-30	6" x 30mmW	

1-25. CNC Snail Lock Edge Grinding Wheels (4", 5Step)



Description	Position	Type
Snail Lock	pos.1	Metal Coarse
Snail Lock	pos.2	Metal Fine
Velcro Backed	pos.3	Resin
Velcro Backed	pos.4	Resin
Velcro Backed	pos.5	Resin

1-26. Polishing Discs



Item No.	Description	Remark
DPD325	3" x 2.5mm	Grit Size #50/#100/#200/#400 #800/#1500/#3000/Buf
DPD420	4" x 2.0mm	
DPD430	4" x 3.0mm	
DPD440	4" x 4.0mm	

1-27. Polishing Disc with Resin



Item No.	Description	Remark
PDR6T	6" thread	Grit Size #24/#30/#50/#100 #200/#400/#800 #1500/#3000
PDR8T	8" thread	
PDR10T	10" thread	
PDR6V	6" Velcro	
PDR8V	8" Velcro	
PDR10V	10" Velcro	

1-28. CNC Edge Profile Wheels



Type A



Type B



Type H



Type F



Type FS



Type Q



Type V



Type Z

Item No.	Description	Remark
Segment Size(D22, D35, D40, 1/2GAS) Grit Size : Coarse/Medium/Fine		
CPA10	D80mm x R10	Quarter Round
CPA15	D100mm x R15	
CPA20	D120mm x R20	
CPB10	D120mm x R10	Half Bull-nose
CPB15	D120mm x R15	
CPB20	D120mm x R20	
CPB25	D120mm x R25	
CPB30	D120mm x R30	
CPB40	D120mm x R40	
CPH114	D120mm x 1 1/4"L	Dupond
CPH158	D12mm0 x 1 5/8"L	
CPF20	D120mm x 15mm	Ogee
CPF25	D120mm x 20mm	
CPF30	D120mm x 25mm	
CPFS	D120mm x 25mm	Long Ogee
CPQ114	D120mm x 1 1/4"	Double Ogee
CPV114	D100mm x 1 1/4"	
CPV112	D100mm x 1 1/2"	Full Bull-nose
CPZ80-138	D80mm x 1 3/8"	
CPZ100-138	D100mm x 1 3/8"	Flat
CPZ80-158	D80mm x 1 5/8"	
CPZ100-158	D100mm x 1 5/8"	

1. STONE PRODUCTS

1-29. CNC Type A-R8 3Cm Full Line-up



Description	Position	Type
3Cm Type A-R8	pos.1	Segmented
	pos.2	Vacuum Brazed
	pos.3	Vacuum Brazed
	pos.4	Electro Plated
	pos.5	Vulcanized
	pos.6	Vulcanized
	pos.7	Vulcanized

1-30. CNC Type FZ 5Cm Full Line-up



Description	Position	Type
5Cm Type F+Z	pos.1	Segmented
	pos.2	Vacuum Brazed
	pos.3	Vacuum Brazed
	pos.4	Electro Plated
	pos.5	Vulcanized
	pos.6	Vulcanized
	pos.7	Vulcanized


1-31. Planning Milling Wheels



Item No.	Description	Remark
PLW12100	12" x 1"W	Inner Hole D60/50
PLW12114	12" x 1 1/4"W	
PLW12112	12" x 2 1/2"W	
PLW12200	12" x 2"W	
PLW14100	14" x 1"W	
PLW14114	14" x 1 1/4"W	
PLW14112	14" x 1 1/2"W	
PLW14200	14" x 2"W	

1-32. Special Shape Profile Wheels

Available Special Shape by Customers Order



1. STONE PRODUCTS

1-33. Core Drill Bits for Granite & Marble



Item No.	Description	Remark
CDB 3/16	5.0mm	Thread : 5/8"-11unc M14 1 1/4"-7unc 1/2 Gas
CDB 1/4	6.5mm	
CDB 5/16	8.0mm	
CDB 3/8	10.0mm	
CDB 1/2	12.7mm	
CDB 5/8	16.0mm	
CDB 3/4	19.0mm	
CDB 7/8	22.0mm	
CDB 1	25.0mm	
CDB 1 1/8	28.0mm	
CDB 1 1/4	32.0mm	
CDB 1 3/8	35.0mm	
CDB 1 1/2	38.0mm	
CDB 1 5/8	42.0mm	
CDB 1 3/4	45.0mm	
CDB 1 7/8	48.0mm	
CDB 2	52.0mm	
CDB 2 1/4	57.0mm	
CDB 2 3/8	60.0mm	
CDB 2 1/2	64.0mm	Type: Crown Ring Type Segmented Type Wrinkled Type Escape Type
CDB 2 3/4	70.0mm	
CDB 3	77.0mm	
CDB 3 1/4	82.0mm	
CDB 3 1/2	89.0mm	
CDB 4	102.0mm	
CDB 5	126.0mm	
CDB 6	152.0mm	
CDB 7	177.0mm	
CDB 8	203.0mm	

1-34. T-type Small Core Drill Bits



Item No.	Dia.	Tube Length	Thread
DTSCD 12	1/2" (12mm)	50L 70L 100L 120L 150L	5/8"-11 1/2GAS
DTSCD 58	5/8" (16mm)		
DTSCD 1	1" (25mm)		
DTSCD 118	1 1/8" (29mm)		
DTSCD 114	1 1/4" (32mm)		
DTSCD 138	1 3/8" (35mm)		
DTSCD 112	1 1/2" (38mm)		
DTSCD 134	1 3/4" (44mm)		
DTSCD 2	2" (51mm)		
DTSCD 214	2 1/4" (57mm)		
DTSCD 212	2 1/2" (64mm)		
DTSCD 234	2 3/4" (70mm)		
DTSCD 3	3" (76mm)		
DTSCD 314	3 1/4" (83mm)		
DTSCD 312	3 1/2" (89mm)		
DTSCD 4	4" (102mm)		

1. STONE PRODUCTS

1-35. T-type Core Drills



Item No.		Dia.	Tube Length	Thread
Straight	Slanted			
DSTC 2	DSLCL 2	2" (51mm)	300L	1 1/4"-7
DSTC 214	DSLCL 214	2 1/4 " (57mm)		
DSTC 212	DSLCL 212	2 1/2 " (64mm)		
DSTC 234	DSLCL 234	2 3/4 " (70mm)		
DSTC 3	DSLCL 3	3" (76mm)	350L	
DSTC 312	DSLCL 312	3 1/2 " (89mm)		
DSTC 4	DSLCL 4	4" (102mm)	400L	
DSTC 412	DSLCL 412	4 1/2 " (114mm)		
DSTC 5	DSLCL 5	5" (127mm)	450L	
DSTC 6	DSLCL 6	6" (152mm)		
DSTC 7	DSLCL 7	7" (178mm)		
DSTC 8	DSLCL 8	8" (203mm)		
DSTC 9	DSLCL 9	9" (229mm)		
DSTC 10	DSLCL 10	10" (254mm)		
DSTC 12	DSLCL 12	12" (305mm)		
DSTC 14	DSLCL 14	14" (356mm)		

1-36. Sculptor Tools



Item No.	Description	Remark
CVB-Bell	D15x12mm	Shaft : D6
CVB-Conical	D15x12mm	
CVB-Con-Invert	D15x13mm	
CVB-Cylinder13	D15x13mm	
CVB-Cylinder35	D15x35mm	
CVB-D20	D20x3.0Tx1N	
CVB-D30	D30x15x3.0x5N	
CVB-D40	D40x19x3.0x5N	
CVB-D50	D50x21x3.0x6x6N	

1-37. Adapters

Available Various Type of Adapters According to User's Request



Item No.	Description	Remark
ADT1	1/2GAS male + 5/8"-11	ZN Coated
ADT2	M18, M20, M24 female x 5/8"-11	
ADT3	D10, D12 Bar + 5/8"-11	Stainless Steel
ADT4	1/2GAS Female x 5/8"-11 male	
ADT5	5/8"-11 female + M10 female	Bronze
ADT6	1/2GAS male + M10 female	

1-38. Backer Pads



Item No.	Description	Remark
PBH3	3"	5/8"-11 M14
PBH4S	4" soft	
PBH4H	4" hard	
PBH5	5"	

2. CONSTRUCTION PRODUCTS

2-1. Arrow type Blades


- Fastest free cutting.
- Asphalt / Green concrete / Green Concrete
- Wall sawing / Floor sawing



Item No.	Specification		Remark
	Diameter	Thickness	
ATB 30	30" (760mm)	5.5T	
ATB 32	32" (810mm)	6.0T	
ATB 36	36" (915mm)	6.5T	
ATB 42	42" (1065mm)	6.5T	
ATB 48	48" (1200mm)	7.0T	
ATB 54	54" (1372mm)	7.5T	
ATB 60	60" (1520mm)	7.5T	

2-2. T-type Blades


- Blue : Road cutter & Wall sawing
- Orange : High-speed hand held cutter
- Black : Masonry cutter



Item No.	Road	Item No.	High-Speed	Item No.	Masonry
	OD x W x H		OD x W x H		OD x W x H
TTR12	12"x0.125x1"	TTH12	12"x0.125x1"-20	TTM12	12"x0.125x1"-20
TTR14	14"x0.125x1"	TTH14	14"x0.125x1"-20	TTM14	14"x0.125x1"-20
TTR16	16"x0.129x1"	TTH16	16"x0.129x1"-20	TTM16	16"x0.129x1"-20
TTR18	18"x0.135x1"			TTM18	18"x0.135x1"-20
TTR20	20"x0.135x1"			TTM20	20"x0.135x1"-20
TTR24	24"x0.157x1"			TTM24	24"x0.157x1"-20
TTR26	26"x0.177x1"			TTM26	26"x0.177x1"-20


2-3. Highway Grooving Blades

- Use for High-way Grooving



Item No.	Description	Remark
GBR1410	14"x0.125x10H	Highway Grooving
GBR 1412	14"x0.125x12H	


2-4. Dry Turbo Blades



Item No.	Description	Remark
TC5	5" x 2.6T	DRY, WET
TC6	6" x 2.4T	

2-5. Super Dry Blades

- Super safe : Segments never came off.
- Water free
- Long life & fast cutting




Super Cooling

Item No.	Dia.	Thickness		Arbor
		Turbo	Non-Turbo	
SDB 4	4"	2.6T	2.4T	7/8" - 5/8" bushing
SDB 45	4.5"	2.6T	2.4T	
SDB 5	5"	2.6T	2.4T	
SDB 55	5.5"	2.6T	2.4T	
SDB 6	6"	2.6T	2.4T	
SDB 7	7"	2.6T	2.4T	

2. CONSTRUCTION PRODUCTS

2-6. Tuck Point - Rodding Blades



Item No.	Description	Remark
TPB4-316	4" x 3/16"W	7/8"-5/8" Bushing
TPB4-14	4" x 1/4"W	
TPB4-38	4" x 3/8"W	
TPB4-12	4" x 1/2"W	
TPB45-14	4.5" x 1/4"W	DM-7/8"-5/8" Bushing
TPB5-14	5" x 1/4"W	
TP7-14	7" x 1/4"W	

2-7. Crack Chaser Blades



Item No.	Description	Remark
CCB4	4" x 3/8"W	7/8"-5/8" Bushing
CCB5	5" x 3/8"W	
CCB7	7" x 3/8"W	

2-8. Turbo type Cup Wheels



Item No.	Description	Remark
TGW4	100mmx5.0T	Thread 5/8"-11unc M14 22.23mm
TGW45	110mmx5.0T	
TGW5	125mmx5.0T	Type Round/Straight
TGW6	150mmx5.0T	Grit Coarse/Medium/Fine
TGW7	180mmx5.0T	Shank Steel / Aluminum

2-9. Segmented Cup Wheels / Resin



Item No.	Description	Remark
RGW 4	100mmx5.0T	Thread M10 / M14 5/8"-11unc 22.23mm
RGW45	110mmx5.0T	Type With Resin / Without Resin
RGW5	125mmx5.0T	Grit Coarse/Medium/Fine

2-10. Segmented Cup Wheels



Item No.		Description	Remark
Single	Double		
SGW4S	SGW4D	100mmx5.0T	Thread 5/8"-11unc M14
SGW45S	SGW45D	110mmx5.0T	
SGW5S	SGW5D	125mmx5.0T	
SGW6S	SGW6D	150mmx5.0T	Inner Hole 22.23mm
SGW7S	SGW7D	180mmx5.0T	

2. CONSTRUCTION PRODUCTS

2-12. Cup Scraper (PCD Diamond)



Item No.	Description	Remark
SCW4	100mm	Inner Hole 22.23mm
SCW45	110mm	
SC5	125mm	Type Normal / Cushion
SC7	180mm	

2-13. Metal Polishing Discs



Item No.	Description	Remark
MPD8	8"	Grit Size #1 #2 #3
MPD10	10"	

2-14. T-type Core Drills



Item No.		Dia.	Tube Length	Thread
Straight	Slanted			
DSTC 2	DSLCL 2	2" (51mm)	300L	1 1/4"-7
DSTC 214	DSLCL 214	2 1/4 " (57mm)		
DSTC 212	DSLCL 212	2 1/2 " (64mm)		
DSTC 234	DSLCL 234	2 3/4 " (70mm)		
DSTC 3	DSLCL 3	3" (76mm)	350L	
DSTC 312	DSLCL 312	3 1/2 " (89mm)		
DSTC 4	DSLCL 4	4" (102mm)	400L	
DSTC 412	DSLCL 412	4 1/2 " (114mm)		
DSTC 5	DSLCL 5	5" (127mm)		
DSTC 6	DSLCL 6	6" (152mm)	450L	
DSTC 7	DSLCL 7	7" (178mm)		
DSTC 8	DSLCL 8	8" (203mm)	450L	
DSTC 9	DSLCL 9	9" (229mm)		
DSTC 10	DSLCL 10	10" (254mm)		
DSTC 12	DSLCL 12	12" (305mm)		
DSTC 14	DSLCL 14	14" (356mm)		